

RTU[®]

Evaporator cleaner & disinfectant


RTU[®] Evaporator Cleaner and Disinfectant has been formulated to address concerns over indoor air quality. Its highly effective cleaning action improves the efficiency of your system, while its disinfectant ensures total hygiene. The improved formulation now includes QX-60[®] – a high-strength disinfectant that kills 99.9% of germs in 60 seconds or less. This gives extra reassurance that the unit is safe and clean.

Specification

| | |
|-----------------------------|--|
| Name | RTU Evaporator Cleaner & Disinfectant |
| Product Code | RTCD0801 |
| Packing Quantity | 8 x 1 litre |
| Packing Size (L x H x D) cm | 35 x 32 x 18 |
| Shipping Weight (Kg) | 9 |
| Shipping Volume (m3) | 0.02 |
| Application | Evaporator coils and condensate trays |
| Soils | Dust, airbourne pollutants, bacteria, mould, slime |
| Dilution (water:product) | NO |
| Contact Period | 5 minutes |
| Rinse/Flush Required | NO |
| Special Features | Ready-to-use, QX-60 |



Directions for use



Isolate electrics. Spray into coil, starting at top corner and working methodically across and down. Keep all surfaces wet for 5 minutes. Rinse with fresh water.

RTU[®]
Evaporator cleaner & disinfectant

Contains Sodium Metasilicate

S2: Keep out of the reach of children. S25: Avoid contact with eyes. S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Consult Safety Data Sheet for full safety information. Always wear suitable PPE.

Approved by Aspen Pumps and other leading condensate pump manufacturers



Advanced Engineering Ltd
Guardian House, Stroudley Road
Basingstoke, Hants, RG24 8NL. UK
Tel: +44(0)1256 460300
sales@advancedengineering.co.uk
www.advancedengineering.co.uk

This product should only be used by trained operatives. The "directions for use" are recommendations only; correct use will depend upon circumstances. To the extent permitted, no liability can be accepted for loss resulting from its use. Advanced Engineering follows a policy of continual product improvement. For this reason, some materials and specifications could change without notice.